



Completed production chain of Venetian blinds manufacturing, starting from extrusion, printing, assembly and packing

Capacity:

120,000 pieces finish blinds monthly (30 x 40' container)

3,400,000 meters components slat/valance/bottomrail

monthly (25 x 20' container)



Our workshop is qualified and audited by SEDEX , BSCI & FSC annually.

And **GRS** audit is under arrangement



Basswood/Paulownia blind



Slat width: 25mm/35mm/50mm

Slat thickness: 2.5mm-2.8mm/3.0mm

Technology: the latest environmental UV coating

Control system: pull cord system/wood wand system/motorized system

Type: ladder string and ladder tape

Fauxwood blind



Faux wood blind: solid color or printed color,
Corded or cordless
Steel low profile, high profile or PVC headrail
Ladder string or ladder tape
Standard or room darkening

50mm Vinyl blind:
Corded or cordless
Steel headrail or PVC headrail

Unique labor-saving system

It is more user friendly than the low profile system. You can pull up and down the blinds with less effort.




Perfect assembling of components

Every component is compactly assembled so as to never loose or fall apart



Strong metal tilting rod

It has better load capacity than the common one and is more durable with the diameter of 6mm.



1" Vinyl Blinds



1" Vinyl blind:
Corded or cordless
Light filtering or room darkening
Steel or PVC headrail

Made from durable PVC these 50mm Blinds are suitable for all rooms. Feature color matched headrails, and wand control it face, top, or side fixed. and cord control the height.

1" Aluminum Blinds



1" Aluminum blind:
Corded or cordless

Made from durable PVC these 50mm Blinds are suitable for all rooms. Feature color matched headrails, and wand control it face, top, or side fixed. and cord control the height.

Vertical blinds






Fabric vertical or PVC vertical, PVC printed or faux wood vertical
Steel headrail or Alumni headrail

**Featuring cordless operation with a tilt wand function.
This blind is both child and pet safe.**

Our components

Extruding all kinds of blind components in house, not limit to below




**Also be able to design new
stylish according customer
Profiles and color demand**

Our hardware



50mm Tilting Mechanism
50mm调频




35mm Tilting Mechanism
35mm调频



50mm Tilting Mechanism
50mm转棒式调频




25mm Tilting Mechanism
25mm 转棒式调频



50mm Locker
50mm锁具



50mm Copper Locker
50mm 铜轮锁具




35mm Locker
35mm锁具



25mm Locker
25mm锁具



Fixing Base
固定座




50mm Fixer
50mm 固定器



35mm Fixer
35mm固定器



25mm Fixer
25mm固定器




Headrail
上轨




Tilt Rod
铁条




Rod Stopper
梅花片



Bottomrail
工形下轨



Valance
封板



Slat
叶片



Installation Bracket
封套



Center Supporter
中托



Installation Ring
扣环



Swivel Installation Bracket
蜘蛛托架



Side Cap
端盖



Wand Connector
转棒连接器



Wand
转棒



Ladder Tape
宽布梯带



Ladder String
梯绳



Cord
拉绳



Cord Stopper
安全扣



Tape Stopper
尾扣



Bottom Button
下塞



Tassel
拉环

Our extrusion workshop





Our Assembly workshop



Our Assembly workshop



Our printing line



Our Lab



Test
Heat deformation



Test
Color Spectro



Test UV



Test
Salt spray



Test
Light booth



High quality has always been our insistence while anti-thermal deformation and UV resistance are our specialties. It is our aim to ensure customer satisfaction.